

According to Annex II to REACH – Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Revision nr. 12

Dated 23/03/2021

Printed on 26/11/2021

Page n. 1/14 Replaced revision:11 (Printed on: 24/04/2019)

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product name

TURBO DRAIN CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use Drain unblocker.

1.3. Details of the supplier of the safety data sheet Name Full address District and Country	TURBO-KLEBSTOFFTECHNIK GmbH Bahnhofstrasse 10, Postfach 253, CH-9602 Bazenheid, Schweiz Telefon +41 (0)71 931 47 10, Fax +41 (0)71 931 47 20 E-Mail: info@turbo-kleber.ch, Website: www.turbo-kleber.ch
e-mail address of the competent person	E-Mail: info@turbo-kleber.ch
responsible for the Safety Data Sheet	office@stonesitalia.eu
1.4. Emergency telephone number For urgent inquiries refer to	Schweizerisches Toxikologisches Informationszentrum Zürich +41 44 251 51 51 oder aus der Schweiz Tel. 145 Centre suisse d'information toxicologique, Zurich +41 (0)44 251 51 51 ou 145 (depuis la Suisse) Centro Svizzero d'Informazione tossicolgia +41 (0)44 251 51 51 o dalla Svizzera: Tel 145

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:		
Skin corrosion, category 1A	H314	(
Serious eye damage, category 1	H318	(

Causes severe skin burns and eye damage. Causes serious eye damage.

Swiss Toxicological Information Centre, Zurich +41 (0)44 251 51 51 or 145 (inside Switzerland)

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



According to Annex II to REACH - Regulation (EU) 2015/830

Revision nr. 12

Dated 23/03/2021 Printed on 26/11/2021

TURBO DRAIN CLEANER

Page n. 2/14

Replaced revision:11 (Printed on: 24/04/2019)



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

Precautionary statements:

P260 P305+P351+P338	Do not breathe dust / fume / gas / mist / vapours / spray. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 P280 P310 P264	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wear protective gloves/ protective clothing / eye protection / face protection. Immediately call a POISON CENTER / doctor / Wash thoroughly after handling.
Contains:	SULPHURIC ACID

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
SULPHURIC ACID		
CAS 7664-93-9	95 ≤ x < 100	Skin Corr. 1A H314, Eye Dam. 1 H318, Classification note according to Annex VI to the CLP Regulation: B
EC 231-639-5		Ũ
INDEX 016-020-00-8		
REACH Reg. 01-2119458838-20- XXXX		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.



According to Annex II to REACH – Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Revision nr. 12

Dated 23/03/2021 Printed on 26/11/2021

Page n. 3/14

Replaced revision:11 (Printed on: 24/04/2019)

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention. INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up



According to Annex II to REACH – Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Dated 23/03/2021 Printed on 26/11/2021 Page n. 4/14 Replaced revision:11 (Printed on: 24/04/2019)

Revision nr. 12

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany): 12

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se
DEU	Deutschland	stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2019
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``»
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie Ministra Rodziny, Pracy i Polityki Społecznej z dnia 12 czerwca 2018 r. w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive



According to Annex II to REACH – Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Revision nr. 12

Dated 23/03/2021 Printed on 26/11/2021

Page n. 5/14

Replaced revision:11 (Printed on: 24/04/2019)

2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. ACGIH 2020

TLV-ACGIH

Туре	Country	TWA/8h		STEL/15min		Remarks /		
		mg/m3	ppm	mg/m3	ppm	Observatio	ns	
TLV	CZE	0,05	Р Р		PP			
AGW	DEU	0,00		0,1 (C)		INHAL		
MAK	DEU	0,1		0,1 (C)		INHAL	C = 0,2 m	a/m2
	-	,		0,1(C)				ig/m3
TLV	DNK	0,05				THORA	E	
VLA	ESP		0,05				Niebla	
VLEP	FRA	0,05		3		THORA		
TLV	GRC	0,05						
GVI/KGVI	HRV	0,05						
VLEP	ITA	0,05						
TLV	NOR	0,1						
VLE	PRT	0,05				INHAL	névoa	
VLE	PRT	0,05				RESP	névoa	
VLE	PRT	0,05				THORA		
NDS/NDSCh	POL	0,05				THORA		
WEL	GBR	0,05				THORA		
OEL	EU	0,05				THORA		
TLV-ACGIH		0,2						
Predicted no-effect concentr	ation - PNEC							
Normal value in fresh water				0,03	mg	/I		
Normal value for fresh water	sediment			0,002	mg	/kg		
Normal value for marine wat	er sediment			0,002	mg	/kg		
Normal value of STP microo	rganisms			8,8	mg	/I		
Health - Derived no-effe	ect level - DNEL / I Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.



According to Annex II to REACH – Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Revision nr. 12

Page n. 6/14

Dated 23/03/2021

Printed on 26/11/2021

Replaced revision:11 (Printed on: 24/04/2019)

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	dense liquid	
Colour	brown	
Odour	characteristic	
Odour threshold	Not determined	
рН	< 1	Method:ASTM E 70 Temperature:20°C
Melting point / freezing point	Not available	
Initial boiling point	300 °C	
Boiling range	Not available	
Flash point	Not applicable	
Evaporation rate	Not determined	
Flammability	not applicable	
Lower inflammability limit	Not available	
Upper inflammability limit	Not available	
Lower explosive limit	Not available	



According to Annex II to REACH - Regulation (EU) 2015/830

Revision nr. 12

Dated 23/03/2021

Printed on 26/11/2021

Page n. 7/14

Replaced revision:11 (Printed on: 24/04/2019)

TURBO DRAIN CLEANER	TURBO	DRAIN	CLEAN	NER
----------------------------	-------	-------	-------	-----

Upper explosive limit	Not available
Vapour pressure	Not available
Relative vapour density	Not available
Relative density	1,83 Kg/dm³
Solubility	soluble in water
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	Not available
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Explosive properties	not explosive
Oxidising properties	Not oxidizing

Method:ASTM D 1298 Temperature:20°C

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

SULPHURIC ACID

Decomposes at 450°C/842°F.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

SULPHURIC ACID

Incompatible with: flammable substances, reducing substances, basic substances, metals, organic substances, water.

10.6. Hazardous decomposition products

SULPHURIC ACID

May develop: sulphur oxides.



According to Annex II to REACH – Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Revision nr. 12

Dated 23/03/2021

Printed on 26/11/2021 Page n. 8/14

Replaced revision:11 (Printed on: 24/04/2019)

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

SULPHURIC ACID LC50 (Inhalation):

LD50 (Oral): LC50 (Inhalation):

SKIN CORROSION / IRRITATION

Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

2140 mg/kg Rat 375 ppm/4h (Rat)



According to Annex II to REACH - Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Revision nr. 12

Dated 23/03/2021

Printed on 26/11/2021 Page n. 9/14

Replaced revision:11 (Printed on: 24/04/2019)

Corrosive for the skin

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD



According to Annex II to REACH – Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Revision nr. 12

Dated 23/03/2021 Printed on 26/11/2021

Page n. 10/14

Replaced revision:11 (Printed on: 24/04/2019)

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

SULPHURIC ACID	
LC50 - for Fish	> 16 mg/l/96h
EC50 - for Crustacea	> 100 mg/l/48h (Daphnia magna)
EC50 - for Algae / Aquatic Plants	> 100 mg/l/72h (Desmodesmus subspicatus)
Chronic NOEC for Fish	0,31 mg/l (Salvelinus fontinalis)
Chronic NOEC for Crustacea	0,15 mg/l

12.2. Persistence and degradability

SULPHURIC ACID Solubility in water Degradability: information not available

1000 - 10000 mg/l

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods



According to Annex II to REACH – Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Dated 23/03/2021

Revision nr. 12

Printed on 26/11/2021

Page n. 11/14

Replaced revision:11 (Printed on: 24/04/2019)

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

ADR / RID, IMDG, 1830 IATA:

14.2. UN proper shipping name

ADR / RID:	SULPHURIC ACID SOLUTION
IMDG:	SULPHURIC ACID SOLUTION
IATA:	SULPHURIC ACID SOLUTION

14.3. Transport hazard class(es)

ADR / RID:	Class: 8	Label: 8
IMDG:	Class: 8	Label: 8
ΙΑΤΑ:	Class: 8	Label: 8



14.4. Packing group

ADR / RID, IMDG, II IATA:

14.5. Environmental hazards

ADR / RID:	NO
IMDG:	NO
IATA:	NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special provision: -	Limited Quantities: 1 L	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 1	



According to Annex II to REACH - Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Revision nr. 12

Dated 23/03/2021

Printed on 26/11/2021

Page n. 12/14

Maximum

Maximum quantity: 1 L

quantity: 30 L

Replaced revision:11 (Printed on: 24/04/2019)

855

Packaging instructions:

Packaging

instructions: 851

IATA:

Cargo:

Pass .:

Special provision:

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point	3	
Contained substance		
Point	75	SULPHURIC ACID REACH Reg.: 01- 2119458838-20- XXXX

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Restricted explosives precursor

The acquisition, introduction, possession or use of that restricted explosives precursor by members of the general public is subject to a restriction as set out in Article 5(1) and (3). Restricted explosives precursors shall not be made available to, or introduced, possessed or used by members of the general public.

The acquisition, introduction, possession or use of that regulated explosives precursor by members of the general public is subject to reporting obligations as set out in Article 9.

All suspicious transactions and significant disappearances and thefts must be reported to the relevant national contact point.

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None



According to Annex II to REACH - Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Revision nr. 12

Page n. 13/14

Dated 23/03/2021

Printed on 26/11/2021

Replaced revision:11 (Printed on: 24/04/2019)

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

SULPHURIC ACID

Pursuant to article 14 reg. ce 1907/2006, an evaluation of chemical safety of the substance was done.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Skin Corr. 1A	Skin corrosion, category 1A
Eye Dam. 1	Serious eye damage, category 1
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008 DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation



According to Annex II to REACH – Regulation (EU) 2015/830

TURBO DRAIN CLEANER

Revision nr. 12

Dated 23/03/2021 Printed on 26/11/2021

Page n. 14/14

		Page n. 14/14
KLEBSTOFFTECHNIK		Replaced revision:11 (Printed on: 24/04/2019)
PEC: Predicted environmental Conce	entration	
PEL: Predicted exposure level PNEC: Predicted no effect concentra		
e	national transport of dangerous goods by train	
	ould not be exceeded during any time of occupational exposure.	
TWA: Time-weighted average exposition TWA STEL: Short-term exposure lim		
VOC: Volatile organic Compounds vPvB: Verv Persistent and verv Bioad	ccumulative as for REACH Regulation	
WGK: Water hazard classes (Germa		
GENERAL BIBLIOGRAPHY		
. Regulation (EC) 1907/2006 (REACH		
. Regulation (EC) 1272/2008 (CLP) o . Regulation (EC) 790/2009 (I Atp. Cl	LP) of the European Parliament	
. Regulation (EU) 2015/830 of the Eu . Regulation (EU) 286/2011 (II Atp. C	LP) of the European Parliament	
. Regulation (EU) 618/2012 (III Atp. C . Regulation (EU) 487/2013 (IV Atp. C	CLP) of the European Parliament CLP) of the European Parliament	
. Regulation (EU) 944/2013 (V Atp. C . Regulation (EU) 605/2014 (VI Atp. C	CLP) of the European Parliament	
0. Regulation (EU) 2015/1221 (VII At	p. CLP) of the European Parliament	
1. Regulation (EU) 2016/918 (VIII Atr 2. Regulation (EU) 2016/1179 (IX Atr		
3. Regulation (EU) 2017/776 (X Atp. 4. Regulation (EU) 2018/669 (XI Atp.		
5. Regulation (EU) 2018/1480 (XIII A	tp. CLP)	
6. Regulation (EU) 2019/521 (XII Atp 7. Regulation (EU) 2019/1148	,	
 Regulation (EU) 2020/217 (XIV Atp The Merck Index 10th Edition 	p. CLP)	
Handling Chemical Safety INRS - Fiche Toxicologique (toxicologi	nical sheet)	
Patty - Industrial Hygiene and Toxico	logy	
N.I. Sax - Dangerous properties of In IFA GESTIS website	dustrial materials-1, 1989 Edition	
ECHA website Database of SDS models for chemica	als - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy	
lote for users:	sent sheet are based on our own knowledge on the date of the last ver	rsion. Users must verify the suitability ar
noroughness of provided information	according to each specific use of the product.	
he use of this product is not subject t	as a guarantee on any specific product property. to our direct control; therefore, users must, under their own responsibility	v, comply with the current health and safe
	relieved from any liability arising from improper uses. training on how to use chemical products.	
ALCULATION METHODS FOR CLA	0	Anney I. Part 2. The data for evaluation
hemical-physical properties are repor	rted in section 9.	
	is based on calculation methods as per Annex I of CLP, Part 3, unless de ification is based on calculation methods as per Annex I of CLP, Part 4, u	
hanges to previous review: he following sections were modified:		