

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 2.0

Revision: 11.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: <u>COREX HLP-D 46</u>

 1.2 Relevant identified uses of the substance or mixture and uses advised against Private use of lubricants and greases in vehicles or machines Industrial use of lubricants and greases in vehicles or machinery Professional use of lubricants and greases in vehicles or machines According to the generic exposure scenarios of the ATIEL / ATC on the use of lubricants (V1.0, 07.01.2013) See details of exposure scenarios in Annex

- **Application of the substance / the mixture** Hydraulic fluid Only for proper handling.
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Only representative in EU:

MOTOREX GmbH, Industrie Schmiertechnik, Bismarckstrasse 28, D-69198 Schriesheim

· Further information obtainable from: msds@motorex.com

[•] 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void

(Contd. on page 2)

GB

Version number 2.0

according to 1907/2006/EC, Article 31

Revision: 11.12.2020

Trade name: COREX HLP-D 46

Printing date 11.12.2020

· Additional information:

(Contd. of page 1)

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Remove residues with soap and water.

Remove contaminated clothing immediately.

- After eye contact:
- Rinse opened eye for several minutes under running water. Consult a physician if irritation develops.
- After swallowing:

Do not induce vomitting. Do not take in resorption stimulating agents.

Consult a physician who will decide on need and method of emptying the stomach.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: DO NOT USE WATER JET
- · 5.2 Special hazards arising from the substance or mixture
- In case of fire carbon, sulphur and nitrogen oxides can be formed.
- 5.3 Advice for firefighters
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

(Contd. on page 3)

according to 1907/2006/EC, Article 31 Version number 2.0

Revision: 11.12.2020

Trade name: COREX HLP-D 46

Printing date 11.12.2020

- (Contd. of page 2) • Information about fire - and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store containers closed and protect against rain, dust, heat and other atmospheric influences.
- Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- Additional information about design of technical facilities:
- No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

 Respiratory protection: Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

Protective gloves to EN374, resistant to oil in use. Standard EN 374 Level 3 control G1 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Fluorocarbon rubber (Viton)
- Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.4 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 60 minutes (Permeation according to EN 374 Part 3: Level 1).

- Eye protection: Goggles recommended during refilling
- · Body protection: Protective work clothing

(Contd. on page 4)

GB

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 2.0

Revision: 11.12.2020

Trade name: COREX HLP-D 46

(Contd. of page 3)

Fluid Yellow weak Not determined. Not determined.
Yellow weak Not determined.
Yellow weak Not determined.
weak Not determined.
Not determined.
Undetermined.
Undetermined.
>200 °C
Not applicable.
Not determined.
Product is not selfigniting.
Product does not present an explosion hazard
Not determined.
Not determined.
Not determined.
0.873 g/cm³ (ASTM D 4052)
Not determined.
Not determined.
Not determined.
Not miscible or difficult to mix.
Not determined.
Not determined. 46 mm²/s @ 40 °C
· · · ·

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

according to 1907/2006/EC, Article 31 Version number 2.0

Revision: 11.12.2020

Trade name: COREX HLP-D 46

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation
- Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- [.] Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Contact waste processors for recycling information.

· European waste catalogue

- 13 01 10* mineral based non-chlorinated hydraulic oils
- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 11.12.2020

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 2.0

Revision: 11.12.2020

Trade name: COREX HLP-D 46

(Contd. of page 5)

14.1 UN-Number ADR/RID/ADN, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Al II of Marpol and the IBC Code	nnex Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

Department issuing SDS: Abteilung Produktsicherheit
 Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative

(Contd. on page 7)

GB

according to 1907/2006/EC, Article 31 Version number 2.0

Revision: 11.12.2020

Trade name: COREX HLP-D 46

Printing date 11.12.2020

* * Data compared to the previous version altered.

(Contd. of page 6)

Annex: Exposure scenario 1

· Short title of the exposure scenario

Industrial use of lubricants and greases in vehicles or machinery

Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites • **Product category**

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

· Process category

PROC1Chemical production or refinery in closed process without likelihood of exposure
or processes with equivalent containment conditions.PROC2Chemical production or refinery in closed continuous process with occasional

controlled exposure or processes with equivalent containment conditions PROC8b Transfer of substance or mixture (charging and discharging) at dedicated

facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

· Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC7 Use of functional fluid at industrial site

• **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.

· Conditions of use

· Duration and frequency 5 workdays/week.

· Physical parameters

· Physical state Fluid

· Concentration of the substance in the mixture The substance is main component.

· Other operational conditions

Other operational conditions affecting environmental exposure

No special measures required.

• Other operational conditions affecting consumer exposure Not required.

• Other operational conditions affecting consumer exposure during the use of the product

Not applicable.

- · Risk management measures
- · Worker protection

· Organisational protective measures No special measures required.

• Technical protective measures No special measures required.

· Personal protective measures No special measures required.

• Measures for consumer protection No special measures required.

· Environmental protection measures

· Air No special measures required.

· Water No special measures required.

Disposal measures Ensure that waste is collected and contained.

· Disposal procedures Dispose of product residues with household waste.

· Waste type Partially emptied and uncleaned packaging

• Exposure estimation

· Consumer Not relevant for this Exposure Scenario.

(Contd. on page 8)

GB

according to 1907/2006/EC, Article 31 Version number 2.0

Revision: 11.12.2020

Trade name: COREX HLP-D 46

Printing date 11.12.2020

· Guidance for downstream users No further relevant information available.

(Contd. of page 7)

Annex: Exposure scenario 2

· Short title of the exposure scenario Professional use of lubricants and greases in vehicles or machines Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Product category PC16 Heat transfer fluids PC17 Hydraulic fluids PC24 Lubricants, greases, release products Process category PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC20 Use of functional fluids in small devices · Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) · Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. · Conditions of use · Duration and frequency 5 workdays/week. · Physical parameters · Physical state Fluid · Concentration of the substance in the mixture The substance is main component. · Other operational conditions Other operational conditions affecting environmental exposure No special measures required. · Other operational conditions affecting consumer exposure Not required. • Other operational conditions affecting consumer exposure during the use of the product Not applicable. · Risk management measures · Worker protection · Organisational protective measures No special measures required. • Technical protective measures No special measures required. • Personal protective measures No special measures required. • Measures for consumer protection No special measures required. Environmental protection measures · Air No special measures required. · Water No special measures required. · Disposal measures Ensure that waste is collected and contained. · Disposal procedures Dispose of product residues with household waste. · Waste type Partially emptied and uncleaned packaging · Exposure estimation · Consumer Not relevant for this Exposure Scenario. (Contd. on page 9) GB

according to 1907/2006/EC, Article 31 Version number 2.0

Revision: 11.12.2020

(Contd. of page 8)

Trade name: COREX HLP-D 46

Printing date 11.12.2020

· Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

Short title of the exposure scenario
 Private use of lubricants and greases in vehicles or machines
 Sector of Use SU21 Consumer uses: Private households / general public / consumers
 Product category PC24 Lubricants, greases, release products

• Environmental release category

ERC9a Widespread use of functional fluid (indoor)

- ERC9b Widespread use of functional fluid (outdoor)
- **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure
- No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product
- Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · **Disposal procedures** Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.